

CITY OF NORTHFIELD, MINNESOTA
CITY COUNCIL RESOLUTION 2017-119
IMPROVEMENT 2018STRT – A37

2018 DIVISION STREET(MSAH 119) AND SEVENTH STREET RECONSTRUCTION
PROJECT, AND WASHINGTON STREET OVERLAY AND MISCELLANEOUS CITY
PARKING LOT REHABILITATIONS STATE AID VARIANCE REQUEST

- WHEREAS, the City is preparing plans for MSAH 119 Division Street from Sixth Street to Eighth Street; and,
- WHEREAS, Minnesota Rules for State Aid Operation 8820.9961 provides the requirements for 45-Degree Pull-In Diagonal Parking; and,
- WHEREAS, Minnesota Rules for State Aid Operation 8820.9961 requires 14-feet of separation between the traffic lane and 45 degree angle parking stall; and,
- WHEREAS, the reason for the variance request is this is the entry point for the historic downtown where parking for downtown businesses is angled on the west side of MSAH 119 Division Street and due to the limited right-of-way to meet the design standard.

NOW, THEREFORE, BE IT RESOLVED BY THE MAYOR AND CITY COUNCIL OF THE CITY OF NORTHFIELD, MINNESOTA:

The Northfield City Council hereby requests a variance from the Minnesota Department of Transportation State Aid Operations Rules Chapter 8820.9961 Minimum Design Standard for 45-Degree Pull-In Diagonal Parking to allow 2 feet of distance between the traffic lane and parking stall in lieu of the 14 feet that is required.

The City of Northfield hereby indemnifies, saves and hold harmless the State of Minnesota and its agents and employees of and from claims, demands, actions, or causes of action arising out of or by reason of the Division Street Reconstruction Project in accordance with Minnesota Rules 8820.9961 and further agrees to defend at their sole cost and expense any action or proceeding commenced for the purpose of asserting any claim arising as a result of the granting this variance.

PASSED by the City Council of the City of Northfield on this 5th day of December 2017.

Attest:

City Clerk

Mayor

VOTE: ___ POWNELL ___ COLBY ___ DELONG ___ NAKASIAN
___ NESS ___ PETERSON WHITE ___ ZWEIFEL