



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one:

YES

NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address [REDACTED] Park Drive).

☒ Yes or ____ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

☒ Yes or ____ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

____ Yes or ~~_____~~ No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears slightly aged or off-white.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

From: [REDACTED] >
Sent: Thursday, November 03, 2022 3:11 PM
To: Sean Simonson <Sean.Simonson@ci.northfield.mn.us>
Subject: Questionnaire response

CAUTION: This email originated from outside of the organization.

I am the owner (along with my wife, [REDACTED]) of the residential property at [REDACTED] Fareway Drive in Northfield. We have resided at this property since July 2000, so we have a long-term view of the state of affairs along Fareway, Park and Central.

1. YES.
2. There are areas of water pooling and erosion along Fareway. We have a sump pump. We had to install it and retrofit our basement with drain tile in 2012 after continuous flooding after 2010. We would be interested in an extension of our sump line, though it is already out to the limit on our property right now. It is also six-feet deep to prevent freezing.
3. We have not experienced any sanitary sewer problems.
4. We have not experienced any problems.
5. No. Fareway is a fairly wide street. Joggers, kids on bikes and skateboards go down this street along with a light traffic of cars. April-November. We do not believe that sidewalks or trails are necessary at this time.
6. After 22 years of residence on Fareway Drive, we are pretty happy with the quality of the public conveyances. The asphalt on the street does need some work. It has been neglected for too long. We could also use more street lighting, the absence of which is quite evident during the winter months. Some winters, too, the street drainage suffers from sheets of ice that impede the flow of melting ice and water. Each winter, I do have to take an ice pike to the gutters and the spillways at the corner of 7th and Fareway to make sure that we can avoid the pooling of water (and eventually ice!) out on 7th St. (very dangerous!!!).

Hope this helps!

[REDACTED]
[REDACTED] Fareway Drive
Northfield MN 55057

[REDACTED] (he/him/his)
[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED], Northfield MN 55057



PROJECT QUESTIONNAIRE

2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one: YES

NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address [REDACTED] Fareway Drive).

☒ Yes or ____ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ____ No

Cost?

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

 Yes or No

If Yes, please provide location

[The page contains faint horizontal lines, suggesting it was part of a lined notebook or document.]

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

Man-hole covers are positioned for tires to hit, given the bike lanes. Some are jarringly deep. Any cure for this?



PROJECT QUESTIONNAIRE

2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one: YES

NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

☒ Yes or ☐ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

☐ Yes or ☒ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

☐ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

☐ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

____ Yes or ☒ No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slightly aged or off-white appearance.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be a standard notebook page or a sheet of stationery. There is no handwriting or other markings on the page.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

Not sure how the form could have been emailed

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one:

YES

NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

____ Yes or X No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ____ No

3. SANITARY SEWER

X We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

X We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

___ Yes or ~~___~~ No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one:

YES

NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

No I have observed street ponding after a significant rain. It is located at:

No I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address yes _____).

☒ Yes or ☐ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

☐ Yes or ☒ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

☐ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

☐ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

____ Yes or ✓ No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be a standard notebook page.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

☒ I have observed street ponding after a significant rain. It is located at:

Standing water NE corner of East Ridge + Maple often

☐ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

☐ Yes or ☐ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

☐ Yes or ☐ No

3. SANITARY SEWER

☐ We have not experienced any problems with our sanitary sewer service.

☐ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☐ We have not experienced any problems with our water service.

☐ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

Yes or _____ No

If Yes, please provide location

[illegible]

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

Stop wasting \$ on seldom used bike lanes that confuse roadways and make them more dangerous.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES ☒ NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

____ Yes or ☒ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ____ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

___ Yes or X No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



PROJECT QUESTIONNAIRE

2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: ☒ YES ☐ NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

☒ I have observed street ponding after a significant rain. It is located at:

1718 HARRISON CT,

☐ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

☐ Yes or ☒ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

☐ Yes or ☐ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

☐ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

☐ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

 Yes or No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be a standard notebook page.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one:

YES

NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

NO I have observed street ponding after a significant rain. It is located at:

NO I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

____ Yes or ✓ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ✓ No

3. SANITARY SEWER

✓ We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

✓ We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

*Please finish
Jeff. Dr. you began in the fall of 1/22. Some of the
worst holes are left.*

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

☐ Yes or ☒ No

If Yes, please provide location

I think our roads are messed up enough for bicyclists - a good share of whom do not follow rules. These bikers are terrible, do not stop, do not signal, etc. Not all of them.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

I don't believe we need sidewalks or trails. People don't use 1/2 of what's there now. At this time, I believe a lot of people in D.C. are having trouble even paying for taxes, food, rent and every thing else. Thank you.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

☒ I have observed street ponding after a significant rain. It is located at:

☒ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

☐ Yes or ☒ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

☐ Yes or ☐ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

☐ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

☐ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

____ Yes or ____ No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slightly textured appearance and some minor creases or folds, particularly along the top edge. The overall tone is light and clean.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



PROJECT QUESTIONNAIRE

2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one: YES NO
: sort of

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

☒ I have observed street ponding after a significant rain. It is located at:

A small puddle in front of 12 Fareway Drive / doesn't drain totally.

☒ I have observed areas of erosion along the boulevard at:

a crack runs across 10-9 Parkway. + low spot @ 8-10 Fareway.

Does your home or business have a sump pump? (address _____).

____ Yes or ☒ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ____ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

____ Yes or ____ No

If Yes, please provide location

[illegible]

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

We feel that Winona Street between Woodley + 7th St
needs attention, REPAIR!

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one:

YES

NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

N/A

____ I have observed areas of erosion along the boulevard at:

N/A

Does your home or business have a sump pump? (address _____).

✓ Yes or ____ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ✓ No

3. SANITARY SEWER

✓ We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

✓ We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

✓ Yes or No

If Yes, please provide location

1. The intersection of Carter Dr. & Filmore St.
There are a number of school children who walk from the apartments/homes to the west of this area to the middle school. They walk on the north side of Carter to this intersection and then cut the corner to the sidewalk on the south side of Carter. Side walk needs to continue on the north side of Carter. Or at minimum, the crossing needs to be a 4-way stop with pedestrian/school signs and markings. Note: there is high vehicle traffic at the time due to other parents dropping their kids off.
2. Unfinished trail - east side Roosevelt Park.
Complete existing trail head at Grant Drive toward existing trail from Taylor Ct and Adams St. School kids will have shorter walk to/from school. The city will have access to clean and maintain woods on east side of Roosevelt Park. Note: There are no side walk connections to existing trail on Taylor Court.

2. Unfinished trail - east side Roosevelt Park.
Complete existing trail head at Grant Drive toward existing trail from Taylor Ct and Adams St. School kids will have shorter walk to/from school. The city will have access to clean and maintain woods on east side of Roosevelt Park. Note: There are no side walk connections to existing trail on Taylor Court.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are some faint red marks and smudges near the top edge, possibly from a staple or a stamp. The paper appears to be part of a notebook or binder.



CARTER



Rice County, MN

Comp Search





PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one: YES

NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

☒ I have observed street ponding after a significant rain. It is located at:

NE corner of Maple + Meadowview

☒ I have observed areas of erosion along the boulevard at:

SE corner of Maple + Aldrich Dr @ Storm drain - sink hole? maybe hot-settling?

Does your home or business have a sump pump? (address _____)

☐ Yes or ☒ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

☐ Yes or ☒ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

☐ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

☐ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

____ Yes or X No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The left edge of the paper shows some slight shadowing, suggesting it's part of a bound notebook. There is no handwriting or other markings on the page.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

- Path or Sidewalk along Spring Creek Road/Hall needed (along golf course).
- Path or Sidewalk at Wall Street along golf course is needed.
- Big need is pedestrian route (+ bike route) from east side to the river that is not on a busy avenue. Currently Jefferson Pkwy or Woodley (or a patchwork of route) are the only options. The journey is longer if you don't take a car - that's backwards.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

____ Yes or X No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ____ No

3. SANITARY SEWER

X We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

X We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

Maple Street was recently resurfaced

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

____ Yes or X No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slightly textured appearance and some minor creases or folds, particularly along the top edge. The overall look is that of a standard notebook or a piece of stationery designed for writing.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

I am concerned about my existing trees and access to street parking.
How will snow be cleared between curb + barrier of bike path?

I am in favor of bike lanes in general. However, a dedicated bike lane with protective barrier will be disruptive to homeowners, impacting street parking, mail service and garbage/recycling services. Bike lanes constructed with painted markings only would still provide a bike path on Maple but will not impact homeowners as much. Please consider the equity of your solution across the whole city, with homeowners in some areas being affected exponentially more than other homeowners along the same projects. Is it fair some have bike boulevards while others have dedicated lanes with barrier?



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address NO).

____ Yes or No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or X No

3. SANITARY SEWER

X We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

X We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

 Yes or No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be a standard notebook page.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



PROJECT QUESTIONNAIRE

2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one:

☒ YES

☐ NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

lots of dirt on corner of Hidden Valley's Peterson Drive
cross by apartments on Hidden Valley

☒ I have observed areas of erosion along the boulevard at:

many places

Does your home or business have a sump pump? (address _____).

☐ Yes or ☒ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

☐ Yes or ☐ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

☐ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

☐ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

 Yes or ✓ No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

We don't need sidewalks - people walk around pond

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES **NO**

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

____ Yes or ☒ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ☒ No

3. SANITARY SEWER

- ☒ We have not experienced any problems with our sanitary sewer service.
____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

- ☒ We have not experienced any problems with our water service.
____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?


___ Yes or ___ No

If Yes, please provide location

NO OPINION

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:



1. ROADWAY PAVEMENT CONDITION

- ## 2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

Does your home or business have a sump pump? (address ██████████ PARK).

~~X~~ Yes or No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

___ Yes or ~~___~~ No

3. SANITARY SEWER

✓ We have not experienced any problems with our sanitary sewer service.

☐ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

✓ We have not experienced any problems with our water service.

_____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

 Yes or No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be a standard notebook page.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one:

YES

NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address ████ CENTRAL LN).

X Yes or ____ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or X No

3. SANITARY SEWER

X We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

X We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

___ Yes or ___ No

If Yes, please provide location

NO PATHS OR SIDEWALKS.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

OUR PROPERTY, [REDACTED] CENTRAL IS A CORNER LOT, THUS WE WILL NEED SOME CURB UPDATE ON FOREWAY AND CURB PLUS RAMP TO OUR DRIVEWAY ON CENTRAL. WE PUT IN A NEW DRIVEWAY IN 2016; HOWEVER, SINCE THE HOUSE WAS BUILT IN 1961, WE CAN SEE THE NEED TO IMPROVE.





PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

4/6 I have observed street ponding after a significant rain. It is located at:

in front of 22 Fareway Drive,

_____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

____ Yes or X No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or X No

3. SANITARY SEWER


X We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

X We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).



5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

____ Yes or ~~____~~ No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

The driveway apron is and has been cracked significantly for many years and has deteriorated since. The access cap. to the water main has been missing and is dangerous for individuals walking or driving on the street. It is also located near + to the way of at the fire water stand.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

☒ I have observed street ponding after a significant rain. It is located at:

☒ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

____ Yes or ☒ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ☒ No

3. SANITARY SEWER

____ We have not experienced any problems with our sanitary sewer service.

☒ We have experienced problems with our sanitary sewer service (address FAREWAY).

4. WATERMAIN

____ We have not experienced any problems with our water service.

☒ We have experienced problems with our water service (address FAREWAY).

From: [REDACTED] >
Sent: Friday, November 04, 2022 3:10 PM
To: Sean Simonson <Sean.Simonson@ci.northfield.mn.us>
Subject: Project Questionnaire

CAUTION: This email originated from outside of the organization.

Hi Sean,

I've attached the front of the questionnaire. The back wouldn't scan, but basically I checked no for sidewalks.

In the general comments section:

We have a number of significant potholes on Fareway.

Water pressure is low.

Thanks for letting us provide input.

--

[REDACTED]
[REDACTED]



PROJECT QUESTIONNAIRE

2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one: YES

NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

There is no storm sewer on Fareway Drive, to the best of my knowledge.

____ I have observed areas of erosion along the boulevard at:

NO

Does your home or business have a sump pump? (address [REDACTED] Fareway Drive).

☒ Yes or ____ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ☒ No

3. SANITARY SEWER

____ We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address LaRoche cleans).

sewer a/o water clogs
about every 3 yrs.

4. WATERMAIN

____ We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

____ Yes or X No


If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be a standard notebook page.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO - PRAIRIE

FAREWAY DR

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

NONE

____ I have observed areas of erosion along the boulevard at:

NONE

Does your home or business have a sump pump? (address _____)



FAREWAY DR

Yes or ____ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or X No

3. SANITARY SEWER

X We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

X We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

____ Yes or ____ No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be a standard notebook page.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one:

YES

NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

No I have observed street ponding after a significant rain. It is located at:

No I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address Arbor street).

☒ Yes or ☐ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

☐ Yes or ☐ No unsure

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

☐ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

☐ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

 Yes or No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slightly textured appearance and some minor discoloration or shadows, suggesting it's a physical scan. There is no handwriting or other markings on the paper.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

____ Yes or ☒ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ____ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

____ Yes or ~~____~~ No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

I think people still do not understand what a double yellow line means next to a bike lane. MN statutes require ^{right-}turning vehicles to enter the furthest right lane - including bike lanes - but do I cross the double yellow line?? Are these lanes exempted from that mandate somehow?





PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one:

YES

NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

____ Yes or X No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ____ No

3. SANITARY SEWER


X We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

X We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).



5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

___ Yes or ~~___~~ No

If Yes, please provide location

[illegible]

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

No I have observed street ponding after a significant rain. It is located at:

No I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address █████ Carter Drive).

X Yes or ___ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

___ Yes or X No

3. SANITARY SEWER

X We have not experienced any problems with our sanitary sewer service.

___ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

X We have not experienced any problems with our water service.

___ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

____ Yes or X No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be a standard notebook page.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.



PROJECT QUESTIONNAIRE

2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one:

YES

NO

*Winona St. between 7th & Woodley
is very deteriorated. and needs
re-surfacing.*

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address [REDACTED] *Winona St.*).

X Yes or ____ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or X No

3. SANITARY SEWER

X We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

X We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).



5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

☒ Yes or ☐ No

If Yes, please provide location

The streets between 7th st and Woodley and east of Washington lack sidewalks or the sidewalks are so deteriorated that they are turning into lawn/grass. Some sidewalks just end in random spots too. It would improve the neighborhood greatly to have them.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

Please add stop/yield signs to every intersection. A few intersections between 5th and Woodley lack any stop/yield signs and they are very dangerous. 6th and College Street intersection is one specific example.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____ Carter Drive).

X Yes or ____ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or X No

3. SANITARY SEWER

X We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

X We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).



5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

___ Yes or X No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one: YES

☒ NO

Not in our immediate area of Prairie, but there is

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

☒ I have observed street ponding after a significant rain. It is located at:

cracking + some spalling at the corner of Prairie + 4th Street. Wilson St. from 4th to 7th Streets is terrible.

☐ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address ☐ Prairie St).

☐ Yes or ☒ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

☐ Yes or ☒ No N/A

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

☐ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

☐ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

☒ Yes or ☐ No

If Yes, please provide location

I realize that Wall St. Road may also be a CSAH, but with the amount of bike + pedestrian traffic on it, both sidewalks + a dedicated pedestrian/bike trail should be seriously considered, particularly with the residential development in the Mayflower Hill area, and people using the Arb.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

I sort of question the need for the Mill + Overlay on Prairie Street but I would assume that it's necessary for bike lane construction. As mentioned above, the bike lane really needs to be extended by the County out to Mayflower - the current bike/ped/car traffic on Wall Street Road concerns me as a safety hazard.

→ Prairie Street

Also, please fix Winona between 7th + Woodley - it is seriously degraded.

Thanks for seeing out the input of neighbors.

How will bike lanes on Nevada Street affect parking? Will home owners be forced to park on the other side of the street? I have been paying taxes on [REDACTED] Nevada for 60 years. When they re-did the street a few years ago, it was my \$10,000 dollars that helped pay for it, not some Carleton biker's.

Bikes account for only a very small percentage of the use of the street and only for part of the year. They should not be displacing tax-paying property owners.

[REDACTED]

[REDACTED]

10 November 2022



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one:

YES

NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

NO I have observed street ponding after a significant rain. It is located at:

NO I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

___ Yes or X No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

___ Yes or ___ No

3. SANITARY SEWER

✓ We have not experienced any problems with our sanitary sewer service.

___ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

___ We have not experienced any problems with our water service.

✓ We have experienced problems with our water service (address ██████ Maple Ct.).

air in our lines often

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

Yes or X No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be a standard notebook page.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

There is an east/west *crosswalk at Aldrich Ave $\frac{1}{2}$ Maple Street. Southbound traffic cannot see people in the crosswalk from a safe distance as the crosswalk is over the crest of the hill. The crosswalk should be eliminated, possibly moved slightly north to Maple Ct, or otherwise made safer for pedestrians.

(* actually, it's not painted as a crosswalk - just a bad intersection at which to cross Maple Street)



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

____ Yes or X No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or X No

3. SANITARY SEWER


X We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

X We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).



5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

___ Yes or X No

If Yes, please provide location

[illegible]

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

I support adding bike lane markings to the proposed route, ~~I don't feel that a restriction~~

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one:

☒ YES

☐ NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

☒ I have observed street ponding after a significant rain. It is located at:

East Ridge + Maple

☒ I have observed areas of erosion along the boulevard at:

East Ridge + Maple

Does your home or business have a sump pump? (address _____ below _____).

☒ Yes or ☐ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

☐ Yes or ☒ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

☐ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

☐ We have experienced problems with our water service (address _____).



5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

 Yes or X No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

Worried about snow melt in Spring on corner of Maple and East Ridge.



PROJECT QUESTIONNAIRE

2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

No issues By my House ([REDACTED] PRAIRIE ST.)

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

____ Yes or ☒ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ____ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

___ Yes or ~~___~~ No

If Yes, please provide location

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

THESE STREETS (PRAIRIE + PARK DR.) WERE COMPLETELY
REDONE (AND ASSESSMENTS TO OWNERS): NARROWED GREATLY,
NEW WATER, SANITARY, STORM SEWER WITHIN THE
LAST 20 YEARS.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

☒ I have observed street ponding after a significant rain. It is located at:

corner of Eastridge Dr. & Maple

☐ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address ☐ Eastridge Dr.). NF

☒ Yes or ☐ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

☐ Yes or ☒ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

☐ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

☐ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

____ Yes or ____ No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slightly textured appearance and is set against a dark background.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

[illegible]



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

☒ I have observed street ponding after a significant rain. It is located at:

☐ ELM STREET

☐ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address ELM ST S.).

☒ Yes or ☐ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

☐ Yes or ☒ No DEPENDS ON COST TO ME

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

☐ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☐ We have not experienced any problems with our water service.

☒ We have experienced problems with our water service (address _____).

WATER IS ALWAYS ALONG THE CURB
ABOUT WHERE THE MAIN IS FROM HOUSE TO STREET.
ALL SPRINGS, SUMMERS, FALL

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

____ Yes or ____ No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be a standard notebook page.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

Present WIDE Bike PATHS Less Little Room for 2 cars to
pass safely. Some areas for cars are now quite narrow.



PROJECT QUESTIONNAIRE

2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one:

YES

NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____)



Maple St.

☒ Yes or ____ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ☒ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

___ Yes or ☒ No

If Yes, please provide location

Especially dangerous for school kids
driving into oncoming traffic on Maple -

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

I DON'T KNOW WHY YOU'D

RESURFACE MAPLE - JUST DONE COUPLE
YEARS AGO - GOOD SHAPE NOW.

FIX WINONA! TERRIBLE FOR
YEARS!

DO NOT SPEND MONEY ON
THIS STREET FOR BIKE
TRAIL - THEY ARE

DANGEROUS - DRIVING INTO
TRAFFIC - WE WON'T USE
ESPECIALLY W/ GRANDPARENTS



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____)

~~NO~~



Peterson Drive

____ Yes or ☒ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ☒ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

___ Yes or ~~___~~ No

If Yes, please provide location

[illegible]

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

We do not need sidewalks on Peterson Drive
Not enough foot traffic

Also, property taxes are high enough. The expense and maintenance will be a burden.

[REDACTED]

11/4/22



PROJECT QUESTIONNAIRE

2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION NO

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at: NO

Does your home or business have a sump pump? (address Heritage Dr.).

X Yes or ____ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

X Yes or ____ No Cost?

3. SANITARY SEWER

X We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

X We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

 Yes or X No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be a standard notebook page.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

What's the difference between "Reclamation" and "Mill Overlay"?

From: [REDACTED] >
Sent: Wednesday, November 09, 2022 9:39 AM
To: Sean Simonson <Sean.Simonson@ci.northfield.mn.us>
Subject: sidewalks on Peterson Drive

CAUTION: This email originated from outside of the organization.

[REDACTED] are not in the state right now. We cannot be at the meeting. We live on [REDACTED] Peterson Drive. We are both totally against a sidewalk on Peterson Drive.

1. Use precious resources where they are needed: resurface roads before they become a hazard, quit destroying perfectly good surfaces such as the concrete sidewalk/path that you destroyed on Thye and replacing it with asphalt. What a huge waste of resources!
2. Put sidewalks on busy, high traffic streets, not a places were cars seldom travel and travel slowly.
3. Water pools once in awhile at the bottom of Peterson but really pools on the intersection of HI 3 and Hidden Valley Road.

We need wise spending, not wasteful surveys and pre-planning for unnecessary spending. Thank you for becoming good stewards of our resource.

[REDACTED]

From: [REDACTED] >
Sent: Friday, November 04, 2022 5:00 PM
To: Sean Simonson <Sean.Simonson@ci.northfield.mn.us>
Subject: Project questionnaire

CAUTION: This email originated from outside of the organization.

Mr. Simonson,

I am sending this email in response to receiving notification of the proposed 2023 project for reclamation and overlay, I have no issues regarding questions listed in the questionnaire. However, I do have a concern about a proposed bicycle construction lane. I see no reason to waste the city's money in doing the bike construction-no one uses the bike lanes that are already in place. Bike riders either use the street or sidewalk. Please decide to use the money that would be wasted on these lanes for more useful projects.

Thank you,

[REDACTED]-resident Eisenhower Ct



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

____ Yes or X No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ____ No

3. SANITARY SEWER

- X We have not experienced any problems with our sanitary sewer service.
____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

- X We have not experienced any problems with our water service.
____ We have experienced problems with our water service (address _____).



5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

____ Yes or X No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slightly textured appearance and some minor discoloration or shadows, suggesting it's a physical scan of a piece of paper.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

N/A

____ I have observed areas of erosion along the boulevard at:

N/A

Does your home or business have a sump pump? (address ████████ Aspen Ct).

X Yes or ____ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

X Yes or ____ No

3. SANITARY SEWER

X We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

X We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

☒ Yes or ☐ No

If Yes, please provide location

It would be nice if the one that runs on the east side of 24th extended to city rd 1

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

We were told that the drains were originally put in the wrong place (at the end of our drive way). Having them there is more wear & tear on the drains (they've been repaired twice since we moved in in 2000). If they weren't being driven over multiple times per day, it might be good



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

No I have observed street ponding after a significant rain. It is located at:

No I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address Washington St.)

Yes or No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

Yes or No

3. SANITARY SEWER

✓ We have not experienced any problems with our sanitary sewer service.

 We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

✓ We have not experienced any problems with our water service.

 We have experienced problems with our water service (address _____).

not sure
which
completed
survey

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

☒ Yes or ☐ No

If Yes, please provide location

Sidewalk @ 1905 Washington St needs to be addressed better. The heaving from cotton wood tree makes such a steep slope that it is hazardous to people walking in winter. To those disabled, in wheelchairs, etc. even night joggers could trip on such a peak.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

Please change the requirement for installing sidewalks + roads which last longer than 10 years. Vehicles are getting bigger, heavier + roads deteriorate quickly.

Please stop graveling + oil road when they are still new. It a solution to be applied towards the end of a road's life not while it is still a joy to drive on. It just gets ripped up by plows. I'm not sure the evidence justifies ever graveling + tarring.

Same is even more true of tar lines on cracks it has been proven to be useless, yet contractors keep selling it. It's a waste of our money.

Thank you



PROJECT QUESTIONNAIRE

2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one:

YES

NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

No

____ I have observed areas of erosion along the boulevard at:

No

Does your home or business have a sump pump? (address [REDACTED] Truman Ct).

☒ Yes or ____ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ____ No

I don't know

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

___ Yes or ~~X~~ No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

Blank lined paper for writing.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES ☒ NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

Jefferson Parkway East between Afton Drive & Sibley View Lane

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address ██████████ SIBLEY VIEW LANE).

☒ Yes or ☐ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?


____ Yes or ☒ No I believe a home on our street has one and their discharge sits in front of our driveway causing a consistent puddling.

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.
____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.
____ We have experienced problems with our water service (address _____).



5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

 Yes or No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

Jefferson Parkway East has greatly increased traffic with new and newer construction projects.

Please increase roads in and out of Maple St South, Lake Dr, Superior Dr, Harbor Drive, Abbey Rd, ELIANNA Dr, South Bridge Dr, Ford St E neighborhoods.

The increased family vehicles, construction vehicles, City Maintenance Vehicles, Garbage and Recycling and Compost trucks, Home Improvement vehicles, Tree Removal Trucks, Solar... has impact on the street congestion, wear and tear, noise levels, pedestrian traffic, and quality of living.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one: YES NO - *to patch might be enough*

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

NO I have observed street ponding after a significant rain. It is located at:

NO I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address ██████████ Lincoln St S).

X Yes or ____ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ____ No

3. SANITARY SEWER


X We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

X We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).



5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

☐ Yes or ☒ No

If Yes, please provide location

~~WH~~ There are plentiful Sidewalks in the neighborhood.

Peterson Drive and Lincoln St S are not busy roads. The only traffic is from the homeowners. Additional sidewalks and/or bike lanes is not a good use of taxpayer money or worth additional property taxes.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

While bike paths on busy Streets may make sense (I have never seen a biker in any of the lanes around town), on quiet, residential Streets they are not needed and a waste of resources. I do not want to pay for a bike lane, have trees and yard torn up, and then pay additional taxes that are already high for something that will not be used. On a typical Summer day there are about 5 cars the whole day, and maybe 2-3 bikers. Please don't waste my money on that! Inflation is high, this is not a high income neighborhood and we are feeling the effects. Not raising our taxes for this project is in your control.

Comments on Roosevelt Drive bike paths

- Roosevelt Drive is a highly traveled “collector” street
- There are approximately 15 intersections in its length
- It is a curved street in its entirety with poor sight lines
- Cars often fail to stop for pedestrians in crosswalk at McKinley Drive because of lack of visibility and being located in a curved part of street
- Cars are often speeding or driving much faster than conditions would allow on a straight street
- Inexperienced young drivers use this street to drop off / pickup siblings at Middle School west entrance and is an added risk for multi-use of Roosevelt Drive
- Parking for Tyler Park is limited to Roosevelt drive now. By eliminating parking on one side of the street, where will these cars park? I already have people cutting through my yard, littering, snapping branches off my trees, breaking outside holiday lights, etc. when they are going to and from the park. Parking on the side, residential neighborhood streets will only make it worse.
- The majority of Roosevelt drive is already served with an interior path system that is being used by bikers and pedestrians. It is much safer as people are not traveling on the streets
- Installing a redundant system to the existing paths will not improve safety, only lessen it by putting people on the streets, in harm’s way, instead of keeping them safe on the existing paths.
- Installing bike lanes on Roosevelt Drive is a poor use of precious tax payer resources
- If the residents don’t want bike paths, especially for the legitimate reasons listed here, they should not go in.

[REDACTED]

[REDACTED]

Northfield, MN 55057



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

no I have observed street ponding after a significant rain. It is located at:

no I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address no Roosevelt)

 Yes or X No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

 Yes or X No

3. SANITARY SEWER


X We have not experienced any problems with our sanitary sewer service.

 We have experienced problems with our sanitary sewer service (address).

4. WATERMAIN

X We have not experienced any problems with our water service.

 We have experienced problems with our water service (address).



5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

Yes or ~~No~~

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be from a notebook or a standard sheet of stationery. There is no handwriting or other markings on the page.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

Find a better way to spend taxpayer money



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one:

☒ YES

☐ NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

☒ I have observed street ponding after a significant rain. It is located at:

It ponds at the intersection of Grant dr. & Adams St.

☒ I have observed areas of erosion along the boulevard at:

Adams Street is getting bad next to Roosevelt Park

Does your home or business have a sump pump? (address [REDACTED] Grant dr.)

☒ Yes or ☐ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

☐ Yes or ☒ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

☐ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☐ We have not experienced any problems with our water service.

☒ We have experienced problems with our water service (address [REDACTED] Grant dr.)

we have not been able to determine if our low water pressure/volume is from curbstop to our house or curbstop to street. If there is a pinch in our line, we don't know. We paid a plumber to install a water pump in our basement which has helped out. but would like to know exactly what's wrong.

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

☐ Yes or ☒ No


If Yes, please provide location

but the sidewalk that we take care of next to our house has a few raised spots that could be shaved down so its level with the rest of the walk to prevent a trip hazard and make it better for snow removal.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

During the school year, there is excessive traffic speeding past our address in the morning and afternoon. They drive up Grant drive and go to the circle at the end of Carter to drop + pick up their kids adding wear to the street + disruption to our neighborhood. Our opinion is the side street, Grant dr. shouldn't be a main ~~thoroughfare~~ thoroughfare especially with the new apartments and more and more people living in the area. Maybe signage or other efforts to prevent this excessive traffic and disturbance could be put in place! Thanks



1. ROADWAY PAVEMENT CONDITION

- ## 2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

Does your home or business have a sump pump? (address: [REDACTED] Lincoln St. S.)

 Yes or No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

~~X~~ Yes or _____ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

___ Yes or ~~X~~ No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or printed text on the paper.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

The road is in terrible shape — needed repair for years now.

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is a slight crease or fold at the top edge, suggesting it might be part of a notebook or a document that has been handled. The paper appears clean and unused.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

- ☒ I have observed street ponding after a significant rain. It is located at:
Yes! It is terrible especially during the thawing & freezing months.
It is ice the entire width of driveway ever since the road was redone. We never used to have trouble.
☒ I have observed areas of erosion along the boulevard at:
The curb is cut out & crumbling even after road & curb was fixed

Does your home or business have a sump pump? (address Sibley View Court).

☒ Yes or ☐ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

☐ Yes or ☐ No

3. SANITARY SEWER

- ☒ We have not experienced any problems with our sanitary sewer service.
☐ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

- ☒ We have not experienced any problems with our water service.
☐ We have experienced problems with our water service (address _____).

Also road is heaved up where Metrotrans went under the road in several areas on Sibley View Lane & Sibley View Ct.

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

___ Yes or X No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be a standard notebook page.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be a standard notebook page.

Cindy Stock

From: Sean Simonson
Sent: Monday, November 21, 2022 7:28 AM
To: Cindy Stock
Subject: FW: Project Questionnaire [REDACTED] Sibley View Ct
Attachments: doc20221114111558.pdf

From: [REDACTED] >
Sent: Monday, November 14, 2022 11:19 AM
To: Sean Simonson <Sean.Simonson@ci.northfield.mn.us>
Subject: Project Questionnaire [REDACTED] Sibley View Ct

CAUTION: This email originated from outside of the organization.

Hello Sean,

Please see the attached document that was sent out in the mail.

Thank you and hope areas can be fixed soon as we walk down our driveway many times a day and on to the road as we have dogs that we walk. See the attached for the issue.

[REDACTED]
[REDACTED] Sibley View Ct
Northfield, MN 55057
Cell [REDACTED]

----- Forwarded message -----

From: [REDACTED] >
Date: Mon, Nov 14, 2022, 11:16 AM
Subject: Scanned Document
To: [REDACTED] >

Scanned Document from Kyocera TA-3554ci - Do Not Reply

TASKalfa 3554ci
[00:17:c8:db:a5:b1]



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

☒ I have observed street ponding after a significant rain. It is located at:

2100 Lincoln St S.

☒ I have observed areas of erosion along the boulevard at:

West side of Lincoln St. S.

Does your home or business have a sump pump? (address [REDACTED] Lincoln St S.).

☒ Yes or ☐ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

☐ Yes or ☒ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

☐ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

☐ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

____ Yes or ____ No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be a standard notebook page.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

Pavement on W. side of Lincoln Sts
is crumbling and pieces are often collecting on
the lawns.



PROJECT QUESTIONNAIRE

2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

☒ I have observed street ponding after a significant rain. It is located at:

Adams St & Roosevelt Dr.

☐ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address [REDACTED] Valley Dr.).

☒ Yes or ☐ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

☐ Yes or ☒ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

☐ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

☐ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

☒ Yes or ☐ No

If Yes, please provide location

Trail construction - Connecting E/W Roosevelt Bridge

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

Roads getting too narrow (especially with parking) when bike lanes added.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

X I have observed street ponding after a significant rain. It is located at:

2213 HIDDEN VALLEY RD

 I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address below).

 Yes or X No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

 Yes or X No

3. SANITARY SEWER


X We have not experienced any problems with our sanitary sewer service.

 We have experienced problems with our sanitary sewer service (address).

4. WATERMAIN

X We have not experienced any problems with our water service.

 We have experienced problems with our water service (address).



5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

 Yes or ~~X~~ No

If Yes, please provide location

[illegible]

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

N/A I have observed street ponding after a significant rain. It is located at:

N/A I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address ██████████ Greenfield W. (NFLD.))
X Yes or No * No usage for the last 4 years, Low precipitation.

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

 Yes or X No

3. SANITARY SEWER

X We have not experienced any problems with our sanitary sewer service.
 We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

X We have not experienced any problems with our water service.
 We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

___ Yes or ~~X~~ No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

The MAP depiction at Carter Drive and the intersection at Fillmore St. shows a 'void' in the proposed "Mill & Overlay".

The west extension of the intersection (an incline) up onto Carter Drive has had multiple bituminous pothole repairs over the past years and is in a deteriorated state. If this 200'+plus 'bit' area isn't in the plan, I'm suggesting that it be added.

Also, when will Winona St. So. between 7th St. E. & south to Woodley St. E. be rebuilt to a drivable state? It's been falling apart for a decade plus. Drive that segment, it's BAD.

Regards/ [REDACTED]



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____ Carter Drive).

X Yes or ____ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or X No

3. SANITARY SEWER

X We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

X We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).



5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

___ Yes or X No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the current and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Sorenson@cityofnorthfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 601 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES ☐ NO ☒

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

1. I have observed street ponding after a significant rain. It is located at _____

2. I have observed areas of erosion along the boulevard at _____

Does your home or business have a sump pump? (address: _____)

Yes or ☒ No

If yes, would you be interested in a sump line extended beyond the city to hook your sump pump discharge to?

Yes or ☐ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

☐ We have experienced problems with our sanitary sewer service (address: _____)

4. WATERMAIN

☒ We have not experienced any problems with our water services.

☐ We have experienced problems with our water services (address: _____)



5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

___ Yes or ☒ No

If Yes, please provide location

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

I live at Third & Nevada.
I was surprised to receive this letter because
our neighborhood infrastructure was improved
a couple years ago. Since then, our streets &
sidewalks have been in very good shape.



Minnesota

PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: YES NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

X I have observed street ponding after a significant rain. It is located at:

Boulevard count in front of 515

 I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

X Yes or No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

 Yes or X No

3. SANITARY SEWER

X We have not experienced any problems with our sanitary sewer service.

 We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

X We have not experienced any problems with our water service.

 We have experienced problems with our water service (address _____).

5.

A

if

6

P

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

ity study for the
ts proposed
sidewalk
air

From: [REDACTED]
Sent: Sunday, November 6, 2022 1:36 PM
To: Sean Simonson <Sean.Simonson@ci.northfield.mn.us>
Subject: City of NFLD Project Questionnaire

CAUTION: This email originated from outside of the organization.

Hi Sean, my family lives on Taylor Court and will be impacted by the upcoming projects. I received a questionnaire in the mail and decided it was easier for me just to type/email my responses.

1. Yes I feel the pavement surface needs to be fixed.
2. I am not aware of erosion or ponding. We do not have a sump pump.
3. No problems with sewer
4. no problems with watermain.
5. I highly support connecting the many small/disconnected trails in our community. I would highly recommend connecting the YMCA trail to the Taylor Court trail to the Roosevelt trails and create a safe tunnel or overpass over Jefferson PKWY to Raider drive. I would suggest connecting the Oak Lawn paths to a safe tunnel system or over pass over HWY 3 and connect to the trail in Dundas that goes behind the Ice Arena etc. I would also like to see a wilderness trail from Grant Drive or Taylor Court to the Timberlane neighborhood and through Farrell Court and down to Valley Drive.

In general I highly support all "off-road" bike paths/walking trails and utilizing those trails that are already in existence, creating safer tunnel systems/round-a-bouts over Hwy 3 and Jefferson Pkwy. Although bike paths along road systems may need to be used in limited areas where "off-road" is not an option, I do not support creating a system solely based on creating bike lanes on roads. I do not feel safe having my children ride on those paths. I prefer they use sidewalks and trails as they are less likely to get hit by cars. Leaving the politics of "bikers vs drivers" out of the conversation as it is really irrelevant when safety is my priority. I do not see how creating bike lanes on roads will ever be a safe option.

Thank you kindly for your consideration and work in this area for our community. I am a longtime citizen of Northfield and moved back to Northfield to raise my family mainly for the safety and small "connected" community that I was raised in. Obviously since that time, NFLD has grown and I am so grateful for that. I support any work to invest in our trail systems to keep connections to these various attractions and neighborhoods, and promote community wellness, outdoor activity and health. I love the independence, confidence, and health/wellness, my children gain by utilizing safe trails systems to visit friends and parks and would appreciate more work in connecting these.

I also support work on the Softball Field/ice rink in my backyard. There really is no well kept ice rink in this neighborhood, with the warming house already in place, it would seemingly make sense to me to really develop this area for a good/well kept ice rink in the winter, possibly even with boards for hockey use? In the summer if this area could be converted to batting cages or a field or some sort. I never really see a full team utilize this softball field, I do use it with my family for baseball/softball practice, but would not really need it for a full field. I know kids are also really interested in whiffle ball, so a whiffle ball field or pickle courts?? Just brainstorming some ideas.

[REDACTED]



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?
Please circle one: ☒ YES ☐ NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____)

____ Yes or ____ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?


____ Yes or ____ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.
____ We have experienced problems with our sanitary sewer service (address _____)

4. WATERMAIN

☒ We have not experienced any problems with our water service.
____ We have experienced problems with our water service (address _____)



5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

Yes or No

If Yes, please provide location

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

We were told Taylor Court was to be resurfaced in 2022. It has been in terrible shape for the last 4 years. Deterioration & pot holes throughout this street. Busted curb from snow plow has yet to be fixed. Meanwhile, trails have and been resurfaced. Please address the roadway infrastructure as was planned for 2022.



PROJECT QUESTIONNAIRE
2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one: YES

NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

____ Yes or ____ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ____ No

3. SANITARY SEWER

____ We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

____ We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

Maple & Woodley

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

 Yes or X No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

I live on Woodley and Maple.

I take Maple (from Woodley) to Nevada to head down 2nd to get onto Highway 3 (less traffic). That curve onto Nevada is stupid sharp as it is. Adding a bike lane would add less space for cars to pass especially while turning since a sizable number of people park on both sides of the street.

What you people probably didn't realize is that nearly all of the people I've encountered who bike in the special lane on, or even going across, 2nd street don't obey traffic laws like stopping at stop signs or yeilding to right-of-way. Including skateboarders.

What makes you think they'd do that with the Nevada/Maple lane?

It's a waste of money and resources.



PROJECT QUESTIONNAIRE

2023 Reclamation and Overlay Project
Northfield, Minnesota

The City values input from residents who live along the project corridor as you have first-hand knowledge of how the streets and utilities function. Your comments / concerns will assist us during the preliminary design and layout of the project. We encourage you to take a few minutes to fill out the following questionnaire. Completed questionnaires can be collected at the Neighborhood Meeting, emailed to Sean.Simonson@ci.northfield.mn.us or dropped off at the Engineering Office located at Northfield City Hall, 801 Washington Street.

1. ROADWAY PAVEMENT CONDITION

- a. Do you feel the pavement surface has deteriorated to the point it needs to be fixed?

Please circle one: YES

NO

2. STORM SEWER, STORM WATER DRAINAGE AND SURFACE EROSION

____ I have observed street ponding after a significant rain. It is located at:

____ I have observed areas of erosion along the boulevard at:

Does your home or business have a sump pump? (address _____).

____ Yes or ☒ No

If yes, would you be interested in a sump line extended beyond the curb to hook your sump pump discharge to?

____ Yes or ☒ No

3. SANITARY SEWER

☒ We have not experienced any problems with our sanitary sewer service.

____ We have experienced problems with our sanitary sewer service (address _____).

4. WATERMAIN

☒ We have not experienced any problems with our water service.

____ We have experienced problems with our water service (address _____).

5. SIDEWALKS AND TRAILS (WALKING AND BIKING)

Are there sidewalks or trails that you believe are missing that need to be added to the project?

___ Yes or X No

If Yes, please provide location

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

6. GENERAL COMMENTS / QUESTIONS

Please offer any additional information you would like to be considered as a part of these improvements:

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

From: [REDACTED] >
Sent: Sunday, November 27, 2022 10:29 AM
To: Sean Simonson <Sean.Simonson@ci.northfield.mn.us>
Subject: Sunny View Dr Mill and Overlay

CAUTION: This email originated from outside of the organization.

Sean,

The only comment I have reference the Sunny View Drive reclamation plan/project is I am wondering if it is possible to keep the heavy equipment including dump trucks off of Sibley View Lane and divert the heavy equipment and loads out to and in from HWY 246 working East to West. It just seems to make sense to not move heavy loads over Sibley View Lane which was Reclaimed just a couple years ago.

Thank you.

[REDACTED]
[REDACTED] Sibley View Ct.

November 10, 2022

Sean Simonson, Engineering Manager
Northfield City Hall: Engineering Office
801 Washington St.
Northfield, MN 55057

No Sidewalk Petition re: 2023 Peterson Drive Reclamation Project

Dear Mr. Simonson and City Staff,

Thank you for offering the November 9 presentation of the 2023 Northfield Reclamation and Overlay Projects. We are grateful for the opportunity to learn of these plans, to express our appreciation and concerns regarding the care of our neighborhood, and most importantly, to have a voice in the improvement planning. Residents of Peterson Drive agree that street improvement is needed, however, based on reasons presented at the November 9 Open House meeting, residents of Peterson Drive **do not want sidewalks**.

We are counting on you, Mr. Simonson, to carry this document to Mayor Rhonda Pownell, Council Members, SEH staff, and members involved in the decision process for this good work.

Sincerely,


Peterson Drive Neighborhood Residents

House # on Peterson Drive	Print Resident Name(s)	Signature
1125	James & Mara Mangan	Mara Mangan
1213	Carol A Hafemeyer	Carol Hafemeyer
1117	RANDALL & CORENE SKEELS	Paula Skeels
1200	Kenneth & Kristine Kuhn	Kristine M. Kuhn
1201	Jeremy & Misty Larson	Misty Larson
1120	Jo & William Siemys	Ellen Siemys
1121	Melissa Mowers & Dan O'Leary	W. Siemys & M. Mowers
1113	Jamie and Ann Jerdee	Ann Jerdee
1112	Erin & Maren Gustafson	Erin Gustafson
1124	Kathleen Jamroz	Kathleen K. Jamroz
1204	Gretchen & Jim Gillis	Jim Gillis
1300	Kathy Endres	Kathy Endres
1209	Maren & Derrek Matar	Derrek Matar
1305	Janice Quinnell	Janice Quinnell
1301	Paul Wise	Paul Wise
1217	Wayne Hiesey	Wayne Hiesey


2101 Hidden Valley Ruth Wirtzfeld Ruth Wirtzfeld

1205 Peterson Dr. Kathy Tonolli Kathy Tonolli

1205 Peterson Dr. David Tonolli David Tonolli

1116 Peterson Dr. Mark Morpew 

1109 Peterson Dr. Lynn Laudenschlager Lynn Laudenschlager

1109 Peterson Dr. Pete Laudenschlager  Pete Laudenschlager